

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13868	((438/1,5,7,8,10,13,14,15,16,17,690,691,692,693) or (216/38,88,89,90,91) or (451/1,5,6,41)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/07 12:39
L2	44811	chemical\$4 WITH mechanical\$4 WITH polish\$4	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/07 12:39
L3	941	L2 AND (thickness\$4 WITH signal\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/07 12:39
L4	60	L3 AND (slop\$4 WITH signal\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/07 12:39
L5	26	L1 AND L4	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/07 12:40
L6	5	L4 AND (second\$4 WITH derivativ\$5)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/07 12:40
L7	2	L1 AND L6	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/07 12:40
S1	44747	chemical\$4 WITH mechanical\$4 WITH polish\$4	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/04 16:30
S2	474	S1 AND (eddy\$4 WITH current\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/04 16:42
S3	347	S2 AND (Cu OR copper)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/04 16:42

S5	61	S3 AND slop\$4	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/04 16:46
S6	1	S2 AND (second\$4 WITH derivativ\$5)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/05 10:53
S7	2	S2 AND ((eddy\$4 WITH current\$4)WITH derivativ\$5)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/04 16:50
S8	940	S1 AND (thickness\$4 WITH signal\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/05 10:46
S9	11	S8 AND (second\$4 WITH derivativ\$5)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/04 16:57
S10	1	S9 AND (eddy\$4 WITH current\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/04 16:58
S11	8	("5190614"   "5308447"   "5362969"   "5433651"   "5461007"   "5483568"   "5685766"   "5851135").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 10:41
S12	1	("5499733").PN.	USPAT; USOCR	OR	OFF	2005/04/05 10:41
S13	44816	chemical\$4 WITH mechanical\$4 WITH polish\$4	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/05 10:47
S14	942	S13 AND (thickness\$4 WITH signal\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/05 10:47
S15	61	S14 AND (slop\$4 WITH signal\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/05 10:57

S16	1	("5,097,430").PN.	USPAT; USOCR	OR	OFF	2005/04/05 10:50
S17	5	S15 AND (second\$4 WITH derivativ\$5)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/05 10:54
S18	28	S15 AND eddy	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/05 11:32
S19	28	S15 AND (eddy WITH current\$4)	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/04/05 11:32